

# Path Light

## ILS-P300-AB Adjustable Oval Path Light Specification Sheet



### PRODUCT OVERVIEW

The Irradiar Landscape Path Lights by GM Lighting are premium-grade, pathway lights designed to enhance outdoor spaces with subtle and even illumination. Engineered for functionality and style, these path lights feature durable construction and an elegant design, making them perfect for guiding pathways, accentuating garden beds, and adding ambiance to your landscape.

Project Name	Type
Catalog #	Date



### FEATURES

- Die-cast brass (4.4" W. x 24"H)
- Head pivots vertically for best positioning
- Specular reflector with frosted glass optics
- Antique Brass finish
- Ground Stake (included)
- G4 LED lamps (not included)
- Wide even distribution
- 6ft Direct Burial Cable, 18AWG

### SPECIFICATIONS

#### ELECTRICAL

- 12V (nominal) low voltage
- 4W G4 (max lamp wattage)

#### CERTIFICATION

- cETLus
- IP65

#### WARRANTY

- 10 years (visit: [gmlighting.net/warranty](http://gmlighting.net/warranty))



### ORDERING INFORMATION: 1. SELECT FIXTURE

Product No.	Description
ILS-P300-AB	Adjustable Oval Path Light

### 2. SELECT A COMPATIBLE GM LAMP

G4 (WP series, Water Protection): WHITE | G4 (Damp Location): WHITE

Watts	CCT	Lumens	WP series	Damp Location
2W	2700K	180lm	LG427K-02WOMWP	LG427K-02W01S
	3000K	270lm	LG430K-02WOMWP	LG430K-02W01S
	4000K	380lm	LG440K-02WOMWP	LG440K-02W01S
3W	2700K	180lm	LG427K-03WOMWP	LG427K-03W01S
	3000K	270lm	LG430K-03WOMWP	LG430K-03W01S
	4000K	380lm	LG440K-03WOMWP	LG440K-03W01S
4W	2700K	180lm	LG427K-04WOMWP	LG427K-04W01S
	3000K	270lm	LG430K-04WOMWP	LG430K-04W01S
	4000K	380lm	LG440K-04WOMWP	LG440K-04W01S

G4 (WP series, Water Protection): COLOR | G4 (Damp Location): COLOR

Watts	Color	WP series	Damp Location
2W	Amber	LG4AM-02WOMWP	LG4AM-02WOMS
	Blue	LG4BL-02WOMWP	LG4BL-02WOMS
	Green	LG4GR-02WOMWP	LG4GR-02WOMS
	Red	LG4RD-02WOMWP	LG4RD-02WOMS
4W	Amber	LG4AM-04WOMWP	LG4AM-04WOMS
	Blue	LG4BL-04WOMWP	LG4BL-04WOMS
	Green	LG4GR-04WOMWP	LG4GR-04WOMS
	Red	LG4RD-04WOMWP	LG4RD-04WOMS

NOTE: Lamps must be used in an outdoor rated luminaire for landscape applications.

# Path Light

## ILS-P300-AB Adjustable Oval Path Light Specification Sheet



### 3. SELECT COMPATIBLE ACCESSORIES

Product No.	Description
ILS-A100P	ILS LG Stake W/Slot Black ABS 1/2 NPS
ILS-A110P	ILS SM Stake W/Slot Black ABS 1/2 NPS
ILS-A130-AB	ILS Stake Cover Brass Antique Brass Finish
ILS-A540-AB	ILS Round Surface Mount Brass, Antique Brass Finish Set Screw 3X SS Black Screws
ILS-A541-AB	ILS Cone Surface Mount Brass, Antique Brass Finish Set Screw 3x SS Black Screws
ILS-A530-AB	ILS Tri-Point Surface Mount Brass, Antique Brass Finish 3x SS Black Screws
ILS-A510-AB	ILS Corner Bracket Aluminum, Antique Brass Finish 4x SS Black Screws
ILS-A500-AB	ILS Downlight Bracket Brass, Antique Brass Finish 2x SS Screws
ILS-A300-AB	ILS L Fitting Brass Brass Locknut Antique Brass Finish
ILS-A301-AB	ILS 90 T Fitting Brass Brass Locknut Antique Brass Finish
ILS-A302-AB	ILS Direct Light Fitting Brass Internal 1/2" IPS Threads Antique Brass Finish
ILS-A520-AB	ILS Gutter Plate, Brass Insert, Alum Plate 2x SS Screws

Product No.	Description
ILS-A304S03-AB	ILS Fixed Stem 3" Brass Brass Locknut Antique Brass Finish
ILS-A304S06-AB	ILS Fixed Stem 6" Brass Brass Locknut Antique Brass Finish
ILS-A304S12-AB	ILS Fixed Stem 12" Brass Brass Locknut Antique Brass Finish
ILS-A304S18-AB	ILS Fixed Stem 18" Brass Brass Locknut Antique Brass Finish
ILS-A304S24-AB	ILS Fixed Stem 24" Brass Brass Locknut Antique Brass Finish
ILS-A305AD33-AB	ILS ADJ Stem 17-33" Brass Brass Locknut Antique Brass Finish
ILS-A306L18-AB	ILS Fixed L Stem 18" Brass Brass Locknut Antique Brass Finish
ILS-A306L24-AB	ILS Fixed L Stem 24" Brass Brass Locknut Antique Brass Finish
ILS-A700-AB	1/2" NPS Locknut Brass
ILS-A701-AB	Spot Knuckle Knob Brass
ILS-A703-AB	Oval Flood Screw Brass
ILS-A713-AB	Oval Flood Glass Assy 1PC

### 4. SELECT COMPATIBLE POWER SUPPLY

Fixtures must be used with 12V nominal power supply. See transformers specification sheets for details, controls and related accessories.

Product No.	Watts	Voltage
ILS-S075A-SS	75W	120Vin, 12/15Vout
ILS-S150B-SS	150W	120Vin, 12/13/14/15Vout
ILS-S300B-SS	300W	120Vin, 12/13/14/15/17/18/22Vout
ILS-S600B-SS	600W (2X300W)	120Vin, 12/13/14/15/17/18/22Vout
ILS-S100C-PC	100W	120Vin, 12/15Vout






















# Path Light

## ILS-P300-AB Adjustable Oval Path Light Specification Sheet



### ACCESSORIES

 <p>ILS LG Stake ILS-A100P</p>	 <p>ILS SM Stake ILS-A110P</p>	 <p>ILS SM Stake Cover ILS-A130-AB</p>	 <p>ILS RND Surface Mount ILS-A540-AB</p>	 <p>ILS Cone Surface Mount ILS-A541-AB</p>
 <p>ILS Tri-Point Surface Mount ILS-A530-AB</p>	 <p>ILS Downlight Bracket ILS-A500-AB</p>	 <p>ILS Corner Bracket ILS-A510-AB</p>	 <p>ILS Gutter Plate ILS-A520-AB</p>	 <p>Oval Flood Glass Assy 1PC ILS-A713-AB</p>
 <p>1/2 NPS Locknut Brass ILS-A700-AB</p>	 <p>Spot Knuckle Knob Brass ILS-A701-AB</p>	 <p>Oval Flood Screw Brass ILS-A713-AB</p>	 <p>ILS Fitting ILS-A302-AB</p>	 <p>ILS L Fitting Brass ILS-A300-AB</p>
 <p>ILS 90 T Fitting ILS-A301-AB</p>	 <p>ILS Fixed Stem ILS-A304S03-AB ILS-A304S06-AB ILS-A304S12-AB ILS-A304S18-AB ILS-A304S24-AB</p>	 <p>ILS ADJ Stem 17"-33" ILS-A305AD33-AB</p>	 <p>ILS Fixed L Stem 18"-24" ILS-A306L24-AB</p>	

# Path Light

## ILS-P300-AB Adjustable Oval Path Light Specification Sheet



### DIMENSIONS

